

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	55867	lock\$2 adj loop	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT
6	BRS	L6	16604	5 and divider\$1	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT
7	BRS	L7	9001	6 and (selector selecting selection mux multiplexer\$1 multiplexing multiplexer\$1)	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT
8	BRS	L8	7128	7 and clock	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	6980	8 and frequency	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT
10	BRS	L10	2717	9 and plurality near3 (clock\$1 signal\$1)	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT
11	BRS	L11	1798	10 and multiplex\$3	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT
12	BRS	L12	1791	11 and phase	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT

	Type	L #	Hits	Search Text	DBs
14	BRS	L14	1065	12 and (voltage adj control\$3 adj oscillator VCO)	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT